

# CORRECTION Open Access

# Correction to: A point-of-care thoracic ultrasound protocol for hospital medical emergency teams (METUS) improves diagnostic accuracy

M. J. Blans<sup>1\*</sup>, E. Bousie<sup>1</sup>, J. G. van der Hoeven<sup>2</sup> and F. H. Bosch<sup>3</sup>

# Correction to: Ultrasound J (2021) 13:19

https://doi.org/10.1186/s13089-021-00229-3

Following the publication of the original article [1], we were notified that the first and last name order in the authorship list has been swapped.

The original article has been corrected.

### **Author details**

<sup>1</sup>Department of Intensive Care, Rijnstate Hospital, PO box 9555, 6800 TA Arnhem, The Netherlands. <sup>2</sup>Department of Intensive Care, Medical Center, Radboud University, PO box 9101, 6500 HB Nijmegen, The Netherlands. <sup>3</sup>Department of Internal Medicine, Rijnstate Hospital, PO box 9555, 6800 TA Arnhem, The Netherlands.

Published online: 16 June 2021

### Reference

Blans MJ. A point-of-care thoracic ultrasound protocol for hospital medical emergency teams (METUS) improves diagnostic accuracy. Ultrasound J. (2021) 13:29. https://doi.org/10.1186/s13089-021-00229-3.

## **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1186/s13089-021-00229-3.

Full list of author information is available at the end of the article



<sup>\*</sup>Correspondence: mblans@rijnstate.nl

Department of Intensive Care, Rijnstate Hospital, PO box 9555, 6800 TA Arnhem, The Netherlands